SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	Castrol GTX 5W-30 C3
Product code	470242-BE02
SDS #	470242
Product type	Liquid.

1.2 Relevant identified uses o	f the substance or mixture and uses advised against
Use of the substance/	Engine Oils.
mixture	For specific application advice see appropriate Technical Data Sheet or consult our company representative.

1.3 Details of the supplier of the	ne safety data sheet
Supplier	Castrol Holdings Europe B.V., d'Arcyweg 76, 3198NA Europoort Rotterdam
	Castrol Belgium BV, Langerbuggerkaai 18, 9000 Gent
E-mail address	+32 (0)800 49312 MSDSadvice@bp.com

 1.4 Emergency telephone number

 EMERGENCY
 Carechem: +44 (0) 1235 239 670 (24/7)

 TELEPHONE NUMBER

SECTION 2: Hazards identification

mixtures and articles

2.1 Classification of the sub	stance or mixture	
Product definition	Mixture	
Classification according to Not classified.	Regulation (EC) No. 1272/2008 [C	<u>LP/GHS]</u>

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

2.2 Label elements	
Signal word	No signal word.
Hazard statements	No known significant effects or critical hazards.
Precautionary statements	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Hazardous ingredients	Not applicable.
Supplemental label elements	Safety data sheet available on request.
EU Regulation (EC) No. 1907/2	2006 (REACH)
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,	Not applicable.

Product name	Castrol GTX 5V	V-30 C3		Product code	470242-BE02	Page: 1/11
Version 6.01	Date of issue	14 February 2023	Format	Belgium	Language	ENGLISH
Date of previo	ous issue	18 November 2022.		(Belgium)		

SECTION 2: Hazards identification

Special packaging requirement	nts
Containers to be fitted with child-resistant fastenings	Not applicable.
Tactile warning of danger	Not applicable.
2.3 Other hazards	
Results of PBT and vPvB assessment	Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	Defatting to the skin. USED ENGINE OILS Used engine oil may contain hazardous components which have the potential to cause skin cancer. See Toxicological Information, section 11 of this Safety Data Sheet.

SECTION 3: Composition/information on ingredients

Mixture

3.2 Mixtures

Product definition

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≥25 - ≤50	Not classified.	-	[2]
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≥25 - ≤50	Asp. Tox. 1, H304	-	[1] [2]

See Section 16 for the full text of the H statements declared above.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid me	easures
Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Get medical attention if symptoms occur.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

Potential acute health effects

Inhalation	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.			s may be		
Ingestion	No known significant effects or critica	al hazaro	ds.			
Product name Castrol GTX 5W-3	0 C3		Product code	470242-B	E02	Page: 2/11
Version 6.01 Date of issue 14	February 2023	Format	Belgium		Language	ENGLISH
Date of previous issue 18	November 2022.		(Belgium)			

Skin contact	Defatting to the skin. May cause skin dryness and irritation.
Eye contact	No known significant effects or critical hazards.
Delayed and immediat	e effects as well as chronic effects from short and long-term exposure
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.

4.0 malcation of any mine	suite metical attention and special realment needed
Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.
	In case of inhalation of decomposition products in a fire, symptoms may be delayed.
	The exposed person may need to be kept under medical surveillance for 48 hours.

SECTION 5: Firefighting measures

5.1 Extinguishing media							
Suitable extinguishing media	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.						
Unsuitable extinguishing media	Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product.						
5.2 Special hazards arising fro	m the substance or mixture						
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst.						
Hazardous combustion products	Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.)						
5.3 Advice for firefighters							
Special precautions for fire-fighters	No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.						
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.						

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures							
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment.						
For emergency responders If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".							
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).						
6.3 Methods and material for co	ntainment and cleaning up						
Small spill Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.							
Large spill Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, wat courses, basements or confined areas. Contain and collect spillage with non-combustible absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in contain for disposal according to local regulations. Dispose of via a licensed waste disposal cont							

Product name Castrol GTX 5W-30 C3			Product code 470242-	Page: 3/11		
Version 6.01	Date of issue	14 February 2023	Format	Belgium	Language	ENGLISH
Date of previ	ous issue	18 November 2022.		(Belgium)		

SECTION 6: Accidental release measures

	6.4 Reference to other	See Section 1 for emergency contact information.		
	sections	See Section 5 for firefighting measures.		
		See Section 8 for information on appropriate personal protective equipment.		
		See Section 12 for environmental precautions.		
		See Section 13 for additional waste treatment information.		

SECTION 7: Handling and storage

7.1 Precautions for safe ha	ndling
Protective measures	Put on appropriate personal protective equipment.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store and use only in equipment/ containers designed for use with this product. Do not store in unlabelled containers.
Not suitable	Prolonged exposure to elevated temperature.
7.3 Specific end use(s)	
Recommendations	See section 1.2 and Exposure scenarios in annex, if applicable.
SECTION 8: Exposu	are controls/personal protection
8.1 Control parameters	-
Occupational exposure lin	<u>nits</u>

Product/ingredie	ent name	Exposure limit values					
Distillates (petroleum), hydrotre	eated heavy paraffinic	Limit values (Belgium). [Mineral oils] TWA: 5 mg/m³ 8 hours. Issued/Revised: 10/2002 Form: Mist STEL: 10 mg/m³ 15 minutes. Issued/Revised: 10/2002 Form: Mist					
Distillates (petroleum), hydrotre	eated heavy paraffinic	Limit values (Belgium). [Mineral oils] TWA: 5 mg/m ³ 8 hours. Issued/Revised: 10/2002 Form: Mist STEL: 10 mg/m ³ 15 minutes. Issued/Revised: 10/2002 Form: Mist					
•		shown in this section, other components may be present in any mist, s may not be applicable to the product as a whole and are provided for					
Recommended monitoring procedures	EN 689 (Workplace chemical agents for Standard EN 14042 for the assessment (Workplace atmospl measurement of che	e made to monitoring standards, such as the following: European Standard atmospheres - Guidance for the assessment of exposure by inhalation to comparison with limit values and measurement strategy) European (Workplace atmospheres - Guide for the application and use of procedures of exposure to chemical and biological agents) European Standard EN 482 heres - General requirements for the performance of procedures for the emical agents) Reference to national guidance documents for methods for hazardous substances will also be required.					
Biological exposure indices							

Product/ingredient name

Exposure indices

No exposure indices known.

Derived No Effect Level

No DNELs/DMELs available.

Predicted No Effect Concentration

No PNECs available

8.2 Exposure controls

Product name Castrol GTX 5W-30 C3				Product code 470242	Page: 4/11	
	Version 6.01 Date of issue	a 14 February 2023	Format	Belgium	Language	ENGLISH
	Date of previous issue	18 November 2022.		(Belgium)		

SECTION 8: Exposure controls/personal protection

Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.					
Individual protection measure						
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.					
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.					
Eye/face protection	Safety glasses with side shields.					
Skin protection						
Hand protection	General Information:					
	Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. The correct choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. Most gloves provide protection for only a limited time before they must be discarded and replaced (even the best chemically resistant gloves will break down after repeated chemical exposures).					
	Gloves should be chosen in consultation with the supplier / manufacturer and taking account of a full assessment of the working conditions.					
	Recommended: Nitrile gloves. Breakthrough time:					
	Breakthrough time data are generated by glove manufacturers under laboratory test conditions and represent how long a glove can be expected to provide effective permeation resistance. It is important when following breakthrough time recommendations that actual workplace conditions are taken into account. Always consult with your glove supplier for up-to-date technical information on breakthrough times for the recommended glove type. Our recommendations on the selection of gloves are as follows:					
	Continuous contact:					
	Gloves with a minimum breakthrough time of 240 minutes, or >480 minutes if suitable gloves					
	can be obtained. If suitable gloves are not available to offer that level of protection, gloves with shorter breakthrough times may be acceptable as long as appropriate glove maintenance and replacement regimes are determined and adhered to.					
	Short-term / splash protection:					
	Recommended breakthrough times as above. It is recognised that for short-term, transient exposures, gloves with shorter breakthrough times may commonly be used. Therefore, appropriate maintenance and replacement regimes must be determined and rigorously followed.					
	Glove Thickness:					
	For general applications, we recommend gloves with a thickness typically greater than 0.35 mm.					
	It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times. Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.					
Product name Castrol GTX 5W-3	B0 C3 Product code 470242-BE02 Page: 5/11					

Product name	Castrol GTX 5V	V-30 C3		Product code 4/0242-	3E02	Page: 5/11
Version 6.01	Date of issue	14 February 2023	Format	Belgium	Language	ENGLISH
Date of previo	ous issue	18 November 2022.		(Belgium)		

SECTION 8: Exposure controls/personal protection

	Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:						
	• Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.						
	• Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.						
Skin and body	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.						
<u>Refer to standards:</u>	Respiratory protection: EN 529 Gloves: EN 420, EN 374 Eye protection: EN 166 Filtering half-mask: EN 149 Filtering half-mask with valve: EN 405 Half-mask: EN 140 plus filter Full-face mask: EN 136 plus filter Particulate filters: EN 143 Gas/combined filters: EN 14387						
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.						

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

of a mornadion on buolo physical	and ononnour propor	100					
<u>Appearance</u>							
Physical state	Liquid.						
Colour	Amber. [Light]						
Odour	Not available.						
Odour threshold	Not available.						
рН	Not applicable.						
Melting point/freezing point	Not available.						
Initial boiling point and boiling range	Not available.						
Pour point	-42 °C						
Flash point	Closed cup: 196°C	(384.8°F)) [Pensky	-Martens]			
Evaporation rate	Not available.						
Flammability (solid, gas)	Not available.						
Lower and upper explosion limit	Not available.						
Vapour pressure		Vapou	r Pressu	re at 20°C	Vapou	ır pressi	ure at 50°C
	Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
	Stillates (petroleum), hydrotreated heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	Distillates (petroleum), hydrotreated heavy paraffinic	<0.08	<0.011	ASTM D 5191			
	Dec-1-ene.	<0.0041	<0.00055	ASTM E			

	Dec-1-ene,	<0.0041	<0.00055	ASTM E				
Product name Castrol GTX 5W-30 C	3			Product code 4	70242-BE0	2	Page	e: 6/11
Version 6.01 Date of issue 14 Fe	bruary 2023		Forma	at Belgium	La	nguage	ENG	SLISH
Date of previous issue 18 No	vember 2022.			(Belgium)				

Interception Interception Interception Interception Interception Interception Interception Relative vapour density Not available. Interception Interception Relative density Not available. Interception Interception Interception Bestity <1000 kg/m² (<1 g/cm²) at 15°C Solubility(is) Interception Interception Media Result Not available. Interception Interception Partition coefficient: n-octanol/ water Not applicable. Interception Interception Partition coefficient: n-octanol/ water Not applicable. Interception Interception Decomposition temperature Not available. Not available. Not available. Viscosity Kinematic: 60 to 75 mm²/s (60 to 75 cSt) at 40°C Kinematic: 11.5 to 12.4 cSt) at 100°C Not available. Decomposition temperature Not available. Not available. Not available. 0.1 Reactivity No specific test data available for this product. Refer to Conditions to avoid and Incomation. Not available. 10.2 Chemical stability The product is stable.	SECTION 9: Physical a	nd chemical propertie	es				
Relative vapour density Not available. Relative density Not available. Density <1000 kg/m² (<1 g/cm²) at 15°C Solubility(ies) Not asoluble Partition coefficient: n-octanol/ water Not applicable. Auto-ignition temperature Ingredient name °C °F Method Perition coefficient: n-octanol/ water Not applicable. 345 0 309 649.4 to 606.2. ASTM D 2150 Phytrogeneted Proce-nene, homopolymer, hydrogeneted 343 to 309 649.4 to 606.2. ASTM D 2150 Perition coefficient: n-octanol/ water Not available. Sto 309 649.4 to 606.2. ASTM D 2150 Phytrogeneted Becomposition temperature Not available. Sto 301.40°C Kinematic: 60 to 75 cSt) at 40°C Viscosity Kinematic: 60 to 75 m³/s (60 to 75 cSt) at 40°C Kinematic: 60 to 75 cSt) at 40°C Sto 301.40°C Scholar particle state Not available. Not available. Not available. Not available. Scholar particle state Not available. Not available. Not available. Not available. Scholar particle state Not applicable. Scholar particle state Not available. Not available. <		hydrogenated Dec- 1-ene, oligomers,		1194-87			
Relative density Not available. Density <1000 kg/m² (<1 g/cm²) at 15°C		bis(nonylphenyl)amine <0.01	<0.0013	EU A.4	0.0019	0.00025	EU A.4
Density <1000 kg/m³ (<1 g/cm³) at 15°C	Relative vapour density	Not available.					
Solubility(ies) Media Result water Not soluble Partition coefficient: n-octanol/ water Not applicable. Auto-ignition temperature Ingredient name *C *F Method Preficience Not applicable. 343 to 369 649.4 to 696.2 ASTM D 2159 hydrogenated bis(nonylphenyl)amine 440 824 EU A 15 Decomposition temperature Not available. Not available. Solutor 10.2.4 csl) at 100°C Explosive properties Not available.	Relative density	Not available.					
Media Result water Not soluble Partition coefficient: n-octanol/ water Not applicable. Auto-ignition temperature Ingredient name °C °F Method Decomposition temperature Ingredient name °C °F Method Decomposition temperature Not applicable. 943 to 369 649.4 to 666.2 ASTM D 2159 Decomposition temperature Not available. 840 EU A.15 Viscosity Kinematic: 60 to 75 mm²/s (60 to 75 cSt) at 40°C Kinematic: 11.5 to 12.4 cSt) at 100°C Explosive properties Not available. Not available. Oxidising properties Not available. Not available. Particle characteristics Median particle size Not available. SECTION 10: Stability and reactivity No specific test data available for this product. Refer to Conditions to avoid and Incor materials for additional information. 10.2 Chemical stability The product is stable. 10.3 Possibility of Under normal conditions of storage and use, hazardous reactions will not occur. 10.4 Conditions to avoid Avoid all possible sources of ignitin (spark or flame). 10.5 Inc	Density	<1000 kg/m³ (<1 g/cm³) at 1	5°C				
water Not soluble Partition coefficient: n-octanol/ water Not applicable. Auto-ignition temperature Ingredient name °C °F Method Decomposition temperature Ingredient name °C °F Method Decomposition temperature Viscosity Size EU A 15 Decomposition temperature Not available. Not available. Viscosity Kinematic: 60 to 75 mm*/s (60 to 75 cst)) at 40°C Viscosity Kinematic: 11.5 to 12.4 mm*/s (11.5 to 12.4 cst) at 100°C Explosive properties Not available. Oxidising properties Not available. Not available. 9.2 Other information No additional information. SECTION 10: Stability and reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. 10.2 Chemical stability The product is stable. 10.3 Possibility of 10.3 Possibility of nazardous reactions Under normal conditions of storage and use, hazardous polymerisation will not occur. 10.4 Conditions to avoid Avoid all possible sources of ignition (spark or flame). 10.5 Incompatible materials Reactive or incompatible with the following materials: oxidisin	Solubility(ies)						
Partition coefficient: n-octanol/ water Not applicable. Auto-ignition temperature Ingredient name °C °F Method Decomposition temperature Ingredient name °C °F Method Decomposition temperature Ingredient name °C °F Method Decomposition temperature Not available. 640.4 to 696.2. ASTM D 2159 hydrogenated bis(incom/phenyljamine 440 824 EU A 15 Decomposition temperature Not available. Not available. Kinematic: 80 to 75 cm7/s (610 to 75 cSt) at 40°C Kinematic: 80 to 75 mm7/s (11.5 to 12.4 cSt) at 100°C Explosive properties Not available. Not available. Not available. Particle characteristics Median particle size Not applicable. 9.2 Other information. SECTION 10: Stability and reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. 10.2 Chemical stability The product is stable. Under normal conditions of storage and use, hazardous polymerisation will not occur. 10.4 Conditions to avoid Avoid all possible sources of ignition (spark or flame). Information 10.4 Conditions to avoid Avoid all possible sources of stor	Media	Result					
water Auto-ignition temperature Ingredient name °C °F Method Project-tene, homopolymer, hydrogenated 343 to 369 649.4 to 6962.2 ASTM D 2159 Projectene, hydrogenated Bis(novyghenvy)amine 440 824 EU A 15 Decomposition temperature Not available. Kinematic: 11.5 to 12.4 mm²/s (60 to 75 cSt) at 40°C Kinematic: 11.5 to 12.4 mm²/s (11.5 to 12.4 cSt) at 100°C Explosive properties Not available. Not available. Particle characteristics Median particle size Not available. Particle characteristics Median particle size Not available. Particle characteristics Median particle size Not applicable. Particle characteristics SectTION 10: Stability and reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. 10.2 Chemical stability The product is stable. Particle normal conditions of storage and use, hazardous reactions will not occur. 10.4 Conditions to	water	Not soluble					
Be-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated Decentry hydrogenated Decentry hydrogenated Decentry hydrogenated Decentry hydrogenated becentry hydrogenated		Not applicable.					
hydrogenated Dec-1-ene, oligomers, hydrogenated Decentropy, hydrogenated Decentr	Auto-ignition temperature	Ingredient name	°C	°F	М	ethod	
Decomposition temperature Viscosity Not available. Kinematic: 60 to 75 mm²/s (60 to 75 cSt) at 40°C Kinematic: 11.5 to 12.4 cSt) at 100°C Explosive properties Not available. Oxidising properties Not available. Particle characteristics Mot available. Particle characteristics Not available. Particle characteristics Not available. Particle characteristics Not available. 9.2 Other information No additional information. SECTION 10: Stability and reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. 10.1 Reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. 10.2 Chemical stability The product is stable. 10.3 Possibility of materials for additions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. 10.4 Conditions to avoid Avoid all possible sources of ignition (spark or flame). 10.5 Incompatible materials Reactive or incompatible with the following materials: oxidising materials. 10.6 Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products shou produced. SECTION 11: Toxicologic		hydrogenated Dec-1-ene, oligome		369 649.4 t	to 696.2 AS	5TM D 2159	9
Viscosity Kinematic: 60 to 75 mm²/s (60 to 75 cSt) at 40°C Kinematic: 11.5 to 12.4 mm²/s (11.5 to 12.4 cSt) at 100°C Explosive properties Not available. Oxidising properties Not available. Particle characteristics Not available. Median particle size Not applicable. 9.2 Other information No additional information. SECTION 10: Stability and reactivity No specific test data available for this product. Refer to Conditions to avoid and Incomaterials for additional information. 10.1 Reactivity The product is stable. 10.2 Chemical stability of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. 10.4 Conditions to avoid Avoid all possible sources of ignition (spark or flame). 10.5 Incompatible materials Reactive or incompatible with the following materials: oxidising materials. 10.6 Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products shou produced. SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available. 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available.		bis(nonylphenyl)amine	440	824	EU	J A.15	
Kinematic: 11.5 to 12.4 mm²/s (11.5 to 12.4 cSt) at 100°C Explosive properties Not available. Oxidising properties Not available. Particle characteristics Not available. Median particle size Not applicable. 9.2 Other information No additional information. SECTION 10: Stability and reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. 10.1 Reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. 10.2 Chemical stability The product is stable. 10.3 Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. 10.4 Conditions to avoid Avoid all possible sources of ignition (spark or flame). 10.5 Incompatible materials Reactive or incompatible with the following materials: oxidising materials. 10.6 Hazardous Under normal conditions of storage and use, hazardous decomposition products shou produced. SECTION 11: Toxicological information Information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available. Routes of entry antic	Decomposition temperature	Not available.					
Oxidising properties Not available. Particle characteristics Median particle size Not applicable. 9.2 Other information No additional information. Not applicable. SECTION 10: Stability and reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. 10.1 Reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. 10.2 Chemical stability The product is stable. 10.3 Possibility of nazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. 10.4 Conditions to avoid Avoid all possible sources of ignition (spark or flame). 10.5 Incompatible materials Reactive or incompatible with the following materials: oxidising materials. 10.6 Hazardous tecomposition products Under normal conditions of storage and use, hazardous decomposition products show produced. SECTION 11: Toxicological information Information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available. Information on likely Routes of entry anticipated: Dermal, Inhalation, Eyes.	Viscosity				at 100°C		
Particle characteristics Median particle size Not applicable. 9.2 Other information No additional information. Not applicable. SECTION 10: Stability and reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. 10.1 Reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. 10.2 Chemical stability The product is stable. 10.3 Possibility of nazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. 10.4 Conditions to avoid Avoid all possible sources of ignition (spark or flame). 10.5 Incompatible materials Reactive or incompatible with the following materials: oxidising materials. 10.6 Hazardous fecomposition products Under normal conditions of storage and use, hazardous decomposition products shou produced. SECTION 11: Toxicological information Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available. Routes of entry anticipated: Dermal, Inhalation, Eyes.							
Median particle size Not applicable. 9.2 Other information No additional information. SECTION 10: Stability and reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. IO.1 Reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. IO.2 Chemical stability The product is stable. IO.3 Possibility of mazeridous reactions Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. IO.4 Conditions to avoid Avoid all possible sources of ignition (spark or flame). IO.5 Incompatible materials Reactive or incompatible with the following materials: oxidising materials. IO.6 Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products shou produced. SECTION 11: Toxicological information Under normal conditions of storage and use, hazardous decomposition products shou produced. SECTION 11: Toxicological information Information (EC) No 1272/2008 Acute toxicity estimates Not available. Routes of entry anticipated: Dermal, Inhalation, Eyes.	Oxidising properties	Not available.					
10.1 Reactivity No specific test data available for this product. Refer to Conditions to avoid and Incommaterials for additional information. 10.2 Chemical stability The product is stable. 10.3 Possibility of nazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. 10.4 Conditions to avoid Avoid all possible sources of ignition (spark or flame). 10.5 Incompatible materials Reactive or incompatible with the following materials: oxidising materials. 10.6 Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products show produced. SECTION 11: Toxicological information Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available. Routes of entry anticipated: Dermal, Inhalation, Eyes.	Median particle size 9.2 Other information No additional information.						
Imaterials for additional information. Interview of the product is stable. Index normal conditions of storage and use, hazardous polymerisation will not occur. Index normal conditions of storage and use, hazardous polymerisation products show produced. SECTION 11: Toxicological information Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available. Information on likely Routes of entry anticipated: Dermal, Inhalation, Eyes.			or this pro	duct Refer	to Condit	ions to a	void and Incompa
0.3 Possibility of nazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur. 0.4 Conditions to avoid Avoid all possible sources of ignition (spark or flame). 0.5 Incompatible materials Reactive or incompatible with the following materials: oxidising materials. 0.6 Hazardous Under normal conditions of storage and use, hazardous decomposition products show produced. SECTION 11: Toxicological information Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available. Routes of entry anticipated: Dermal, Inhalation, Eyes.					to condit		
nazardous reactions Under normal conditions of storage and use, hazardous polymerisation will not occur. 10.4 Conditions to avoid Avoid all possible sources of ignition (spark or flame). 10.5 Incompatible materials Reactive or incompatible with the following materials: oxidising materials. 10.6 Hazardous Under normal conditions of storage and use, hazardous decomposition products shou produced. SECTION 11: Toxicological information Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available. Routes of entry anticipated: Dermal, Inhalation, Eyes.	10.2 Chemical stability	The product is stable.					
10.5 Incompatible materials Reactive or incompatible with the following materials: oxidising materials. 10.6 Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products shou produced. SECTION 11: Toxicological information Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available. Routes of entry anticipated: Dermal, Inhalation, Eyes.							
10.6 Hazardous Under normal conditions of storage and use, hazardous decomposition products should produced. SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available. Information on likely Routes of entry anticipated: Dermal, Inhalation, Eyes.	10.4 Conditions to avoid	Avoid all possible sources of igr	nition (spa	irk or flame).			
decomposition products produced. SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available. Information on likely Routes of entry anticipated: Dermal, Inhalation, Eyes.	10.5 Incompatible materials	Reactive or incompatible with th	e followin	g materials:	oxidising	materials	S.
11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity estimates Not available. Information on likely Routes of entry anticipated: Dermal, Inhalation, Eyes.			age and ι	ise, hazardo	us decom	position	products should n
Acute toxicity estimates Not available. Information on likely Routes of entry anticipated: Dermal, Inhalation, Eyes.	SECTION 11: Toxicolog	gical information					
Acute toxicity estimates Not available. Information on likely Routes of entry anticipated: Dermal, Inhalation, Eyes.	11.1 Information on hazard clas	ses as defined in Regulation (EC) No 1	272/2008			
	Acute toxicity estimates	Č i č					
Potential acute health effects	routes of exposure	Routes of entry anticipated: Der	mal, Inha	lation, Eyes.			

 Potential acute health effects

 Inhalation
 Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

 Ingestion
 No known significant effects or critical hazards.

 Skin contact
 Defatting to the skin. May cause skin dryness and irritation.

 Eye contact
 No known significant effects or critical hazards.

 Symptoms related to the physical, chemical and toxicological characteristics

Product nameCastrol GTX 5W-30 C3Product code470242-BE02Page: 7/11Version 6.01Date of issue14 February 2023FormatBelgiumLanguageENGLISHDate of previous18 November 2022.(Belgium)EndlishEndlish

SECTION 11: Toxicological information

	~
Inhalation	No specific data.
Ingestion	No specific data.
Skin contact	Adverse symptoms may include the following: irritation dryness cracking
Eye contact	No specific data.
Delayed and immediate effe	ects as well as chronic effects from short and long-term exposure
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.
Potential chronic health eff	<u>ects</u>
General	USED ENGINE OILS Combustion products resulting from the operation of internal combustion engines contaminate engine oils during use. Used engine oil may contain hazardous components which have the potential to cause skin cancer. Frequent or prolonged contact with all types and makes of used engine oil must therefore be avoided and a high standard of personal hygiene maintained.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
11.2 Information on other h 11.2.1 Endocrine disruptin	

11.2.1 Endocrine disrupting	properties
Not available.	
Remarks - Endocrine disruptor - Health 11.2.2 Other information	Not available.
Not available.	

SECTION 12: Ecological information

12.1 Toxicity

Environmental hazards

Not classified as dangerous

12.2 Persistence and degradability

Expected to be biodegradable.

12.3 Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil	
Soil/water partition coefficient (K _{oc})	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.

12.6 Endocrine disrupting properties	Not available.
Remarks - Endocrine disruptor - Environment	Not available.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.
12.7 Other adverse effects	No known significant effects or critical hazards.

Ī	Product name	Castrol GTX 5V	/-30 C3		Product code 47	70242-B	E02	Page: 8/11
	Version 6.01	Date of issue	14 February 2023	Format	Belgium		Language	ENGLISH
	Date of previo	us issue	18 November 2022.		(Belgium)			

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal

Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.

Hazardous waste Yes.

European waste catalogue (EWC)

Waste code	Waste designation	
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils	
However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste		

disposal code to be assigned by the end user.

Packaging Methods of disposal Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations. Special precautions This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. References Commission 2014/955/EU Directive 2008/98/EC

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

14.6 Special precautions for Not available. user

14.7 Maritime transport in	Not available.
bulk according to IMO	
instruments	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

<u>Annex XIV</u>

None of the components are listed.

Substances of very high concern

None of the components are listed.

EU Regulation (EC) No. 1907/2006 (REACH)

Γ	Product name	Castrol GTX 5W	/-30 C3		Product code	470242-BE02	Page: 9/11
	Version 6.01	Date of issue	14 February 2023	Format	Belgium	Language	ENGLISH
	Date of previo	ous issue	18 November 2022.		(Belgium)		

SECTION 15: Regulatory information

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.
Other regulations	
REACH Status	The company, as identified in Section 1, sells this product in the EU in compliance with the current requirements of REACH.
United States inventory (TSCA 8b)	All components are active or exempted.
Australia inventory (AIIC)	All components are listed or exempted.
Canada inventory	All components are listed or exempted.
China inventory (IECSC)	At least one component is not listed.
Japan inventory (CSCL)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	At least one component is not listed.
Taiwan Chemical Substances Inventory (TCSI)	All components are listed or exempted.
Ozone depleting substance	<u>is (1005/2009/EU)</u>
Not listed.	
Prior Informed Consent (Ple Not listed.	<u>C) (649/2012/EU)</u>
Persistent Organic Pollutar Not listed.	<u>its</u>
EU - Water framework direct None of the components are	
Seveso Directive	
This product is not controlled u	inder the Seveso Directive.

15.2 Chemical	safety
assessment	

Date of previous issue

A Chemical Safety Assessment has been carried out for one or more of the substances within this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself.

(Belgium)

SECTION 16: Other information

Abbreviations and acro	•	ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road						
	ADR = The European Agreer							
	ATE = Acute Toxicity Estimat							
		BCF = Bioconcentration Factor CAS = Chemical Abstracts Service						
	CAS = Chemical Abstracts S							
		CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level						
		DNEL = Derived No Effect Level						
		EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic						
	•							
	•							
	OECD = Organisation for Eco							
	PBT = Persistent, Bioaccum							
Product name Castrol C	GTX 5W-30 C3	Product code 4702	42-BE02	Page: 10/11				
Version 6.01 Date of	issue 14 February 2023	Format Belgium	Language	ENGLISH				

18 November 2022.

SECTION 16: Other information

PNEC = Predicted No Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation [Regulation (EC) No. 1907/2006] RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SADT = Self-Accelerating Decomposition Temperature SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVCB = Complex hydrocarbon substance VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Varies = may contain one or more of the following 64741-88-4 / RRN 01-2119488706-23, 64741-89-5 / RRN 01-2119487067-30, 64741-95-3 / RRN 01-2119487081-40, 64741-96-4/ RRN 01-2119483621-38, 64742-01-4 / RRN 01-2119488707-21, 64742-44-5 / RRN 01-2119985177-24, 64742-45-6, 64742-52-5 / RRN 01-2119467170-45, 64742-53-6 / RRN 01-2119480375-34, 64742-54-7 / RRN 01-2119484627-25, 64742-55-8 / RRN 01-2119487077-29, 64742-56-9 / RRN 01-2119480132-48, 64742-57-0 / RRN 01-2119489287-22, 64742-58-1, 64742-62-7 / RRN 01-2119480472-38, 64742-63-8, 64742-65-0 / RRN 01-2119471299-27, 64742-70-7 / RRN 01-2119487080-42, 72623-85-9 / RRN 01-2119555262-43, 72623-86-0 / RRN 01-2119474878-16, 72623-87-1 / RRN 01-2119474889-13

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification		
Not classified.				
Full text of abbreviated H statements	H304	May be fatal if swallowed and enters airways.		
Full text of classifications [CLP/GHS]	Asp. Tox. 1	ASPIRATION HAZARD - Category 1		
<u>History</u>				
Date of issue/ Date of revision	14/02/2023.			
Date of previous issue	18/11/2022.			
Prepared by	Product Stewardship			

Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name Castrol GTX 5W-30 C3		Product code 470242-BE02		Page: 11/11	
Version 6.01 Date of issue	14 February 2023	Format	Belgium	Language	ENGLISH
Date of previous issue	18 November 2022.		(Belgium)		